


HEXPRO SERIES

LOW PROFILE TORQUE WRENCHES

HEXPRO Series Low Profile Wrenches are essential tools for limited clearance applications. The versatile HEXPRO Series supports an extensive range of interchangeable hexagon ratchet links that deliver a torque range of 170 ft-lbs. to 30,500 ft-lbs.



HEXPRO SERIES

LOW PROFILE TORQUE WRENCHES

Model	2HP	4HP	8HP	14HP	30HP
Torque (Ft-Lbs.)	162-1,714	439-4,500	762-8,100	1,245-13,443	3,050-30,500
Hex Size (Imperial)	3/4"- 2-3/8"	1-5/16"- 3-1/8"	1-1/2"- 4-1/8"	2"- 4-5/8"	3-1/8"- 6-7/8"
Power Head	3 lbs	5 lbs	8 lbs	13 lbs	27 lbs
Ratchet Link	4lbs	9 lbs	16 lbs	26 lbs	70 lbs
L	7.32"	9.72"	11.87"	14.24"	17.05"
H1	5.26"	7.85"	8.43"	9.41"	12.40"
H2	4.12"	5.71"	6.95"	8.00"	11.22"
W1	1.25"	1.65"	2.08"	2.52"	3.35"
W2	2.00"	2.60"	3.27"	3.88"	5.16"





Torque Tools^{Inc.}
Pneumatic & Hydraulic Bolting Equipment
281.320.TORQ

HYDRAULIC TORQUE
WRENCH SYSTEMS

MAXDRV SERIES

SQUARE DRIVE TORQUE WRENCHES



MAXDRV Series Square Drive Torque Wrench offer a compact design constructed of aluminum-titanium alloy and super high strength steel alloy for increased strength and durability while minimizing the weight. The MAXDRV Series is available in 82-ft-lbs. to 51,000 ft-lbs. torque range.

MAXDRV SERIES


SQUARE DRIVE TORQUE WRENCHES

Model	.7MD	1MD	3MD	5MD	10MD	17MD
Torque (Ft-Lbs.)	64-793	125-1,318	270-3,030	538-5,480	1,050-11,206	1,640-17,502
Drive	3/4"	3/4"	1"	1-1/2"	1-1/2"	2-1/2"
Weight	3.2 lbs	5 lbs	11 lbs	18 lbs	32 lbs	61 lbs
L1	3.90"	4.83"	6.18"	7.47"	9.36"	10.85"
L2	5.08"	6.23"	8.13"	9.73"	12.22"	14.20"
L3	3.32"	4.11"	5.31"	6.41"	8.02"	9.19"
H1	1.62"	1.97"	2.63"	3.16"	3.95"	4.63"
H2	2.56"	2.88"	3.72"	4.93"	5.75"	6.98"
H3	3.02"	3.77"	4.88"	5.97"	7.35"	8.50"
H4	4.29"	4.97"	6.46"	7.71"	9.04"	10.36"
W	1.50"	3.45"	4.49"	5.39"	6.73"	7.82"
R1	.83"	1.04"	1.31"	1.63"	2.03"	2.32"

RUFNEX[®] SERIES

LOW PROFILE TORQUE WRENCHES

The RUFNEX Extra Low Clearance Torque wrenches are essential for limited clearance applications. The RUFNEX Series has many of the same specifications as the Hexpro Series plus an extra reduced width & radius.



RUFNEX[®] SERIES

LOW PROFILE TORQUE WRENCHES

Model	4RN-203		4RN-206		4RN-209	
Hex Size (A.F.)	2.3/16"	55mm	2.3/8"	60mm	2.9/16"	65mm
Power Head	5 lbs	2.27 kg	5 lbs	2.27 kg	5 lbs	2.27 kg
Ratchet Link	8 lbs	3.63 kg	8 lbs	3.63 kg	8 lbs	3.63 kg
L	9.65"	245.1 mm	9.65"	245.1 mm	9.65"	245.1 mm
H1	6.97"	177.0 mm	6.97"	177.0 mm	6.97"	177.0 mm
H2	5.34"	135.0 mm	5.34"	135.0 mm	5.34"	135.0 mm
W1	1.25"	135.6 mm	1.25"	135.6 mm	1.25"	135.6 mm
W2	2.60"	66.0 mm	2.60"	66.0 mm	2.60"	66.0 mm
A	.412"	10.5 mm	.418"	10.6 mm	.454"	11.5 mm
R	1.685"	42.8 mm	1.796"	45.6 mm	1.95"	49.5 mm